GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Municipal Administration and Urban Development Department – Urban Infrastructure and Governance (UIG) – Revised Administrative sanction for an amount of Rs.645.68 lakhs for work of Supply, delivery, laying, jointing & testing of proposed 1000 mm dia RCC NP3 Sewage gravity main from STP at Narava to Megdrigedda surplus course – Accorded – Orders issued - Reg.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (UBS) DEPARTMENT

G.O.MS.No. 117 Dated: 28-03-2017

Read the following:

1. G.O.Ms.No.531 M.A, Dated: 27-4-2007.
2. Lr.Rc.No.68/2016-17/EE(UGD),Dated:04-01-2017from Commissioner, GVMC

<>o<>

O R D E R:

In the G.O.1st read above, orders were issued for according administrative sanction for Rs.24444.00 Lakhs for the Project "Providing Sewerage system for central part of Visakhapatnam City under JnNURM with the following method of funding:

(Rs. In lakhs)

Sl.No.	Name of the Project Work	Total Project cost	GoI share	State Share	GVMC share
1.	Providing Sewerage System to Central part of Visakhapatnam city	24444.00	12222.00	4888.80	7333.20
	Total	24444.00	12222.00	4888.80	7333.20

2. The Commissioner, GVMC in the reference 2nd read above, has submitted that Providing Sewage System to central part of Visakhapatnam city under JnNURM was taken up under Urban Infrastructure and Governance (UIG) vide G.O.Ms.No.531, Dated:27-4-2017 and it is nearing completion and 54 MLD STP at Narava is under trail run Due to change of location of STP to Narava the secondary treated sewage water is to be disposed to nearby Megadrigedda Surplus course which is 3.2 Km away from STP which was not contemplated in the original estimate.

3. The Commissioner, GVMC has further informed that that the Higher Authorities instructed to provide 1000 mm dia RCC NP3 gravity main from STP to Megadrigedda surplus course since habitation has developed along the alignment. As such an estimate is prepared for "Supply, delivery, laying, jointing & testing of proposed 1000 mm dia RCC NP3 sewage gravity main from STP at Narava to Megadrigedda surplus course" which works out to Rs.645.68 lakhs and council resolution was taken vide Council Resolution No.573/2016, Dated:25-11-2016.

4. Accordingly, the Commissioner, GVMC has requested the Government to accord administrative sanction for Rs.645.68 lakhs for the work of "Supply, delivery, laying, jointing & testing of proposed 1000 mm dia RCC NP3 Sewage gravity main from STP at Narava to Megdrigedda surplus course" from GVMC general funds.

Contd…2..

5. Government after careful examination of the proposal of Commissioner, GVMC hereby accord revised administrative sanction for Rs.645.68 lakhs for the work of "Supply, delivery, laying, jointing & testing of proposed 1000 mm dia RCC NP3 Sewage gravity main from STP at Narava to Megdrigedda surplus course" from GVMC general funds only. The Commissioner, GVMC shall ensure immediate completion of the project without further extension of time and further increase of the project cost.

6. The Commissioner, GVMC/ the Managing Director, APUFIDC, Guntur shall take action accordingly.

7. This order issues with the concurrence of **Finance (FMU.I&I, EF&MA) Department, vide their** U.O.No.44027/60/2017 Dated: 8-3-2017.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Commissioner, GVMC
The Managing Director, APUFIDC, AP, Guntur.
Copy to the PS to Hon'ble M(MA)
Copy to the PS to Principal Secretary to Government MA&UD
Sc/sf

//FORWARDED BY ORDER//

ASSISTANT DIRECTOR